1



<u>Feature</u>	Description	0	S	<u>P</u>	
WEB COLLABORATION AND PRODUCTIVITY					
General Web Interface					
AJAX-based end user interface	Rich, interactive, web-based interface for end user functions (access via HTTP or HTTPS)	х	х	х	
Automatic web client updates	The web interface automatically updates to display messages and other updates		х	Х	
Online end user help	Online end user help accessible directly from the end user interface	Х		Х	
Themes	Ability to customize the colors and appearance of the web interface	Х		Х	
Rebranding	Ability to use custom logos in the web interface		х	х	
Keyword based ad serving	Ability to display ads based on the content of the subject and the message fragment (PS)		х	Х	
Banner ads can be added to Zimbra Web Client	Banner ads can be placed in the Zimbra Web Client		х	Х	
Extended Zimlet framework for expanded search	Users can search the web from within Zimbra Web Client		Х	Х	
Customizable Options pages	Templates can be used to customize the feature layout of the options pages. (PS)		х	Х	
Web client lazy loading	Load client JavaScript code on-demand to improve delay during the log in process	Х		х	
Cross-Application Features					
Drag/Drop with drag context	Ability to drag/drop items, with dynamic indicators of the number of items being dragged and valid drop zones	х	х	х	
Auto-complete addresses	Addresses auto-complete as they are being typed, including a dynamically updated selection dialog when multiple addresses match	X	X	х	
Tags	Ability to quickly categorize messages, contacts, and/or documents by attaching "Tags" with user-defined names and colors	X	X	Х	
HTML formatting	Ability to render and create messages, appointments, and web documents in HTML format	Х	Х	Х	
Spell check	Option to check and correct spelling in a mail message, calendar appointment, or web Document	Х	X	X	
Mandatory spell check	Option to have mandatory spell check enabled	Х	Х	Х	New
Share with Internal Users and Groups	Ability to share Address Books, Calendars, Briefcase and Notebooks (Documents) with internal users and groups (read or write access)	Х	X	Х	
Share with External Users	Ability to share Address Books, Calendars, Briefcase and Notebooks (Documents) with external users via a custom password (read access)	Х	Х	Х	
Share with Public	Ability to share Address Books, Calendars, Briefcase and Notebooks (Documents) with the public (read access)	X	X	Х	
Zimbra Assistant	Mini dialog for quick actions (e.g. send message, create appointment) without changing the underlying application context	Х	X	Х	
Multi-source address picker	Ability to choose from users in personal Address Books, shared Address Books, or the Global Address List	X	X	Х	
"View as HTML" option for attachments	Option to quickly view attachments in HTML format		\mathbf{x}^{1}	x ¹	
Keyboard Navigation	Keyboard shortcuts are available for Zimbra Web Client	х	-	Х	
Keyboard navigation can be turned off	The ability to use shortcut keys can be managed	Х		Х	
COS setting enhancements to prevent log warning	Accounts can be configured to let users log off without the warning	X		X	
Welcome or Home page	Enable a Home page tab that can display specific information for the user (PS)	X		x	
Custom logout page	Ability for users on logout to be redirected to a page other than the Zimbra login page	X		x	
User preferred or default selection of Zimbra Web Client	Accounts can be configured to use either the Standard Web Client, the Advanced Web client or both	х		Х	
Manage shared items	Preference Share folder lists all items shared with the user	X	X	χ	New
Mail					
Conversations	Automatic grouping of messages in a message thread, enabling efficient message organization	х	х	х	
Conversations span folders	Conversations are formed independently of folders, meaning that messages in different folders can be part of the same conversation	х	x	х	
Conversation rehash	If a message is contributed to a conversation, that conversation is marked as unread and moved to the top of the Inbox	X	X	Х	



<u>Feature</u>	Description	0	S	Р	
Conversation-level actions	Ability to perform actions on an entire conversation such as move, Tag, flag, drag/drop, etc.	х	х	х	
Preview pane	Ability to view a highlighted message in a preview pane	х	х	Х	
Personal folders and hierarchies		х	х	х	
Publish RSS/ATOM feeds	Ability to generate RSS or ATOM feeds based on the contents of the Inbox or other mail folders	х	x	Х	
Subscribe to RSS/ATOM feeds	Ability to subscribe to RSS/ATOM feeds	х	х	Х	
Message print and print preview	Ability to print a message and see a print preview	Х	х	Х	
Message sort	Ability to sort messages based on subject, date, or sender	х	х	х	
Flags	Ability to flag/unflag messages/conversations for follow up	х	х	х	
Filters	Ability to define filter rules and priorities for incoming messages.	х	х	Х	
Filter existing messages		Х	х	Х	New
Away messages		х	х	Х	
Signatures		х	х	х	
Compose in window		_	-	х	
Drafts			_	х	
User-controlled forwarding			_	X	
and the same and the same and		-	^		
Reply with attachments option	Option to Reply or Reply-All while retaining the attachments from the original message	x	x	х	
Right-click message context menu	Right-clicking a message displays a menu of actions to take on that message (e.g. Mark Read			X	
	Reply, Delete)				
Right-click email address context menu		Х	X	X	
Hover over attached image shows preview			_	X	
Create calendar appointment from message	Ability to drag a message to a mini-calendar date to create an appointment based on the message	X	X	X	
Quota indicator	Visual indicator of quota and amount of quota consumed	х	х	х	
Export messages as ZIP file		Х	х	Х	
Reply/Reply-All Toggle	Ability to toggle between Reply and Reply-All while composing a reply	Х	х	Х	
Mail Identities	Ability to create multiple identities in Zimbra Web Client and use different names and mail settings.	х	X	Х	
Support for multiple external email accounts	Within ZWC, users can identify other POP email accounts that they have, retrieve email from those accounts and save in specific folders	х	x	Х	
Reading Pane view can be set		¥	¥	х	
User-specified default HTML settings			_	x	
Soci specified default 111WE settings		^	^	^	
Shared mailbox folders		¥	¥	х	
Ability to insert inline images in HTML Editor			-	x	
Signature Length can be set			_	X	
Definable expiration policy for systems folders	Ů Ú		_		\vdash
Account quota warning				X	\vdash
		^	^	^	
Results of a URL can be made attachments		х	х	х	\vdash
Double click on mail opens message in new window			_	x	
Different signatures can be defined			-	x	
Email feature can be disabled			-	X	\vdash
Checkboxes to select mail	Ability to perform actions on an entire conversation such as move, Tag, fleg, drag/drop, etc. Ability to create personal folders and folder hierarchies Ability to create personal folders and folder hierarchies Ability to create personal folders and folder hierarchies Ability to generate RSS or ATOM feeds Ability to subscribe to RSS/ATOM feeds Ability to subscribe to RSS/ATOM feeds Ability to the subscribe to RSS/ATOM feeds Ability to generate RSS or ATOM feeds Ability to generate RSS or ATOM feeds Ability to feed in subscribe to RSS/ATOM feeds Ability to feed in subscribe and subscribe date, or sender Ability to feed in filter rules and on subject, date, or sender Ability to feed in filter rules and protricts for incoming messages. Ability to a filter filter feed and protricts for incoming messages. Ability to a filter filter filter feed and protricts for incoming messages Ability to a male feed and protricts for incoming message Ability to a male feed and protricts for incoming message Ability to a male feed and protricts for incoming message Ability to a male feed and a subscribe middle and protricts for incoming message Ability to a male feed and a subscribe middle and protricts for incoming message Ability to a male feed and a subscribe middle and a subscribe feed and a subscribe middle and a subscribe feed and	x	\vdash		
Chicago to coloct mail		^	^	^	
Message priority can be set		¥	Y	х	\vdash
Instant Notification	Users can get immediate notification of new mail		-	x	
Multiple messages can be forwarded	Multiple messages can be selected and forwarded in one email	X	X	X	\vdash
Inititupie messages can be forwarded	priutipie messages can de selecteu anu forwardeu in one email	Α.	٨	٨	

3



Feature	Description	0	S	Р	
Aggregation of mail accounts using IMAP	Users can aggregate multiple external accounts in their Zimbra account using IMAP	х	х	х	
View the number and total size of items in folder	Users can right click on a folder to see the number of messages and the total size of items in folder				
Three-pane view of mail	Users can select to view their mailbox in a three pane vertical view	Х	х	Х	New
Read Receipt	Messages can be flagged for a return read receipt. Users have a choice to turn this option off for messages they receive	х	X	X	New
Compose in Tabs	Multiple compose tabs can be opened and users can move between the tabs	Y	х	х	New
Multiple forwarding addresses	Allow users to set multiple forwarding addresses		Х	х	New
User controlled junk mail lists	Allow users to set up black or while lists for emails through preferences settings	_	х	Х	New
Sort Messages by size	Ability to sort messages based on size	_	х	X	New
Print multiple messages	Ability to select and print multiple messages at once	_	Х	Х	New
Address Book					
Contact Card View	Business card view of Contacts	х	х	Х	
Contact List View with Preview Pane	List view of Contacts with preview pane	Х	Х	Х	
Import/export contacts in CSV format	Ability to import/export Contacts in .csv format	Х	Х	Х	
Import/export vCards	Ability to import/export contacts in vCard (.vcf) format	X	Х	Х	
Contact print and print preview	Ability to print a single Contact or list of Contacts and see a print preview	Х	х	Х	
Right-click Contact context menu	Right-clicking a Contact displays a menu of actions to take on the Contact (e.g. compose message, search for messages)	х	х	х	
Drag/drop Contact to mini-cal date to create appointment	Ability to drag a Contact to a mini-calendar date to create an appointment with that Contact	х	х	Х	
Multiple Address Books per mailbox	Ability to create multiple Address Books in a single mailbox		х	Х	
Move/copy contacts across Address Books	Ability to move/copy contacts from one Address Book to another (based on access privileges)	х		х	
Personal Distribution Lists (Group Lists)	Ability to create group contact lists in their user Address Books		х	х	
Add Photos to contacts	Photos and images can be uploaded to contacts in Address Books		х	Х	
Calendar					
Personal scheduling	Ability to schedule personal appointments	х	х	х	
Group scheduling	Ability to schedule meetings and view attendees' free/busy information		х	Х	
Recurrences and recurrence exceptions	Ability to create recurring meetings and exceptions to recurring meetings		х	Х	
Resource scheduling	Ability to book resources (locations, equipment, etc.) for a meeting	_	х	Х	
Resource search by attributes	Ability to search for available resources by attributes such as site, building, floor, and capacity		х	Х	
Resource auto-respond	Ability to configure a resource to auto-respond to scheduling requests based on availability		х	Х	
Calendar alerts	Option to enable an alert popup for upcoming appointments	Х		Х	
Time zone adjustment	Appointments/schedules are automatically displayed in the users current time zone	х		Х	
Per-appointment time zone setting	Ability to set an explicit time zone for an appointment		х	Х	
Day, Week, Work Week, Month views	Ability to view calendars in Day, Week, Work Week, or Month views	х		Х	
List view List view	Ability to see appointments in selected calendars for a two week period, select multiple	Х	Х	Х	
	appointments to act upon at once				
Fish-eye calendar view	In the Month view, users can click a date and see a detailed hourly view of the day				
Customizable first day of week	User setting for the first day of the week; value chosen impacts the Week calendar view	х	X	Х	
Create/drag appointment inline in calendar views	Ability to create an appointment and/or drag an appointment's boundaries inline in calendar views	х	х	х	
Quick Accept/Tentative/Decline from calendar views	Ability to quickly mark Accept/Tentative/Decline from calendar views	Х	х	Х	
Identify internal users who can send an invitation	Only addresses identified by the user can send an invitation. Other invites are automatically declined.	х	X	X	New
Customize Free/Busy display	Users can customize how Free/Busy information about them is displayed	Х	х	Х	New
Disable Send Notification Mail	Users can disable Send Notification Mail so that attendees do not receive an email update about minor changes to a meeting	x	x	х	New
Faded display of declined appointments	Declined appointments display faded so that the user remains aware of their occurrence	х	х	х	
Calendar print and print preview	Ability to print calendars in day, week, work week, or month views and see a print preview		х	Х	



<u>Feature</u>	Description	0	S	Р	
Hover over appointment shows details	Hovering over an appointment in calendar view displays additional appointment details	х	х	Х	
Mini-cal	Option to display a miniature calendar at all times	х		Х	
Hover over date in mini-cal shows schedule	Hovering over a date in the mini-cal displays calendar information for that date	х	х	х	
Right-click mini-cal context menu	Right-clicking on the mini-cal displays a menu of actions to take on the associated date (e.g. add	х	х	х	
	appointment, search for messages)		ı		
Multiple calendars per mailbox	Ability for a user to create multiple calendars within a single account	х	х	Х	
Free/busy inclusion by calendar	Ability for a user to designate which calendars will be included in the user's free/busy calculations	х	х	Х	
Subscribe to external calendars	Ability to subscribe to an external calendar in iCalendar (.ics) format	х	х	X	
Publish calendar in iCalendar format	Ability to publish/export a calendar in iCalendar (.ics) format	Х	_	X	
Multi-calendar overlay views	Ability for a user to view multiple calendars overlaid in the same view, which each calendar optionally represented by a different color	х	x	X	
Schedule "thermometer"	When viewing multiple calendars, option to view a "thermometer" that indicates the degree of conflict at each potential time slot	x	x	X	
Import calendars as ics iCal files	Users can import calendar iCalendars (.ics)	х	Х	Х	
Mark appointments as private	Appointments can be marked as private or public.	х	Х	Х	
Calendars can be for personal appointments only	Administrators can configure the Calendar feature to be able to create only personal appointments	х	х	х	
Search for appointments	Users can search for appointments within their calendars	х	х	х	
HTML Read-Only View for Public Calendars	Public calendars display in HTML read-only format	_	х	Х	
Admin receives email for shared Calendars	Users with admin privileges receive copies of invites sent to the grantor	Х	_	Х	New
Resource discovery	Resource accounts can be searched in CALDAV	х	-	Х	New
Appointment status color-coded	A vertical color strip differentiates appointments based on status	Х		Х	New
Options for deleting recurring meetings	Users can select whether to cancel entire series or cancel only the selected instance and future	Х	х	X	New
	meetings	^		~	
Recipient can edit invites	Users can edit an invitation that they receive to change time	х	х	X	New
Tasks					
Manage tasks	Add tasks and set the start and due date, set the priority and keep track of the progress and percentage complete	х	x	X	
Share task lists	Share task lists with internal and external users and set permission levels to manage or to view-only	х	х	x	
Create task folders	Users can organize task lists into folders	х	х	Х	
Sort tasks	Users can sort tasks by Status or Due Date	х	х	Х	
Prioritize tasks	Users can set the priority of tasks to high, normal or low	х	х	Х	
Tag tasks	Individual tasks can be tagged	х	х	Х	
Attachments to tasks	Files can be attached to a tasks	х	Х	Х	
Print task lists	The entire task list can be printed	Х	х	Х	New
View tasks by status	Users can select tasks by status.	х	х	Х	New
Sync tasks	Sync tasks from an iCal remote service.	Х	х	X	New
Documents					
Rich Web Document authoring	Ability to create rich web Documents with WYSIWYG or HTML editing	х	х	х	
Notebooks	Ability to create a notebooks as a Document repository and as a mechanism for navigating through Documents	х	_	х	
Multiple notebooks per mailbox	Ability to create multiple notebooks in a single mailbox	х	¥	х	
Domain-level Notebook option	Ability to create a notebook that is shared by everyone within a domain	X		X	
1 - 0a0101 1101000011 Optiol1		•	. ^		
		y	Y	У	
Links Attachments as Documents	Ability to insert links in Documents to other Documents or to external URLs Ability to upload Attachments as Documents	X X	_	X X	



<u>Feature</u>	<u>Description</u>	0	S	<u>P</u>	
Inline images	Ability to embed an image as an ALE object inside a web Document	Х	Х	Х	
Inline spreadsheets	Ability to embed a spreadsheet as an ALE object inside a web Document	Х	Х	Х	l
Document print and print preview	Ability to print a Document and see a print preview	Х	Х	Х	
Versioning	Pages show when last modified and version				



<u>Feature</u>	<u>Description</u>	0	S	<u>P</u>	
Briefcase					
Briefcase	Users can upload files to their mailbox and can access them from any computer	х	X	X	
Ability to add mail attachments	Users can add email attachments to a selected folder	х	X	Х	
Create presentations	Users can create and manage documents, slides presentations and spreadsheets directly in Briefcase	X	X	X	New
Attachments to email	Users can attach documents from their Briefcase to email messages they send	X	Х	Х	New
Zimlets [™]					
Zimlets infrastructure	Ability to dynamically interact with internet/intranet applications and data sources during a ZCS session	х	х	х	
Custom Zimlets design framework	Design framework for building custom Zimlets	х	Х	х	
Content recognition and Zimlet trigger	Ability to recognize content patterns (e.g. dates, phone numbers) in mailbox items and to trigger a Zimlet(s) based on that content	х	X	Х	
Zimlet hover-over displays	Dynamic displays that appear when hovering over recognized content patterns, including displays of external images/data	х	х	Х	
Zimlet hover-over action menus	Dynamic action menus that appear when right-clicking recognized content patterns	х	Х	Х	
Panel Zimlets	Zimlets that display in a separate UI panel, enabling interaction via double-click and/or drag/drop	х	x	X	
Date Zimlet	Hovering over a date term (e.g. December 12, tomorrow, last Friday) displays the user's calendar schedule for that date	х	x	Х	
Email Address Zimlet	Hovering over an email address displays additional information about that person (from data in the corresponding Contacts record)	х	x	Х	
Phone Zimlet	Right-clicking a phone number enables placing a VOIP call to that number (requires external VOIP client)	х	x	Х	
URL Zimlet	Hovering over a URL displays a thumbnail image of the URL	х	Х	х	
Zimlets Examples Directory	Directory of additional optional Zimlets that demonstrate examples of using the Zimlets infrastructure	Х	х	х	
Manage Zimlets on ZWC	Users can disable or enable Zimlets from the Preferences	Х	Х	Х	New
Zimlet application tabs	Capability for Zimlets to create new application tabs	Х	X	Х	New
Search					
Server-side indexing	Server-side indexing of mailbox content, enabling fast and efficient search from the web interface	X	X	х	
Multi-condition search	Ability for a search to include any number of conditions combined via Boolean-like expressions (AND, OR, NOT, etc.)	x	х	Х	
Text-based search queries	Ability to use text commands to execute searches	х	х	Х	
Advanced Search	Advanced interface for building searches	х	Х	Х	
Cross-context search	Ability to search for a specific item type (Mail, Contacts, Documents, etc.) or across item types	х	х	Х	
Wildcard searches	Ability to search using a prefix plus a wildcard	х	х	х	
Continuous search	When using Search Builder, the search result set updates continuously as search conditions are changed	х	X	X	
Saved Searches	Ability to save searches for subsequent one-click re-execution	х	х	х	
Search by keywords	Ability to search for items that contain specific keywords	Х	Х	Х	
Search by date or date range	Ability to search for items with a specific date or within a specific date range	Х	Х	Х	
Search by relative date/time	Ability to search for items with specific relative date/time characteristics (e.g. "today", "yesterday", "last 4 hours")	X	х	Х	
Search by existence of an attachment	Ability to search for items that contain an attachment	Х	Х	х	
Search by existence of an attachment type	Ability to search for items that contain an attachment of a certain type(s)	Х	х	х	
Search by flagged/unflagged status	Ability to search for items that have a specific flagged/unflagged status	Х	X	X	



Feature	Description	0	S	Р	
Search by folder	Ability to search for items that are in a specific folder	х	х	х	
Search by size	Ability to search for items based on storage size		х	Х	
Search by read/unread status	Ability to search for items based on read/unread status	х	х	Х	
Search by recipients	Ability to search for items with specific recipients in the To/Cc fields	х	х	Х	
Search by sender	Ability to search for items from a specific sender	х	х	Х	
Search by subject	Ability to search for items based on subject		х	Х	
Search by Tag	Ability to search for items that include a specific Tag(s)		х	Х	
Search by Zimlet content pattern	Ability to search for items that contain specific Zimlet content patterns (phone numbers, etc.)		х	Х	
Search by To/From domain	Ability to search for items that were sent to or received from a specific domain	х	х	Х	
Shared Contacts search	Ability to search for Contacts in a Shared Address Book	х	х	Х	
Attachment contents search	Ability to search for content inside attachments		x ¹	x ¹	
Ability to search in user calendars	Can search for appointments in calendars up (up to 180 days)		X	X	
Junk mail indexing can be disabled	Administrator can disable the indexing of junk mail	X	X	X	
Search using is:solo	New search query option is:solo is available	X	X	X	
Search using is.solo	New search query option is solo is available	^	^	^	
Zimbra Standard Client	This list highlights many of the standard features				
Mail			\neg		
Conversations	Automatic grouping of messages in a message thread, enabling efficient message organization	х	х	х	
Conversations span folders	Conversations are formed independently of folders, meaning that messages in different folders can be part of the same conversation	х	Х	х	
Conversation rehash	If a message is contributed to a conversation, that conversation is marked as unread and moved to the top of the Inbox	х	X	х	
Preview pane	Ability to view a highlighted message in a preview pane	х	х	Х	
Drafts	Ability to save in-progress messages to a Drafts folder	х	х	Х	
Message sort	Ability to sort messages based on subject, date, or sender		х	х	
Flags	Ability to flag/unflag messages/conversations for follow up	х	х	Х	
Away messages	Ability to enable/disable a custom away message	-	х	Х	
Personal folders and hierarchies	Ability to create personal folders and folder hierarchies	_	х	Х	
Signatures	Ability to add a custom signature to a message	х	х	х	-
User-controlled forwarding	Ability for a user to set an automatic forwarding address and choose whether to leave a copy in the	x	х	x	
l con common common g	primary mailbox	^	^	.	
Reply with attachments option	Option to Reply or Reply-All while retaining the attachments from the original message	х	х	Х	
Quota indicator	Visual indicator of quota and amount of quota consumed	-	х	Х	
RSS/ATOM Feed	Ability to subscribe to RSS/ATOM feeds	-	х	Х	
Multiple Signatures	Ability to create up to 20 custom signature	х	х	Х	
Multiple Identities Support	Ability for users to specify different user identities when sending email messages	х	х	х	
Address Book (Contacts)					
Add new contacts	Ability to add contact to the Contact list	х	х	Х	
Enable auto adding of contacts	Ability to have contacts automatically added		х	Х	
Personal Distribution Lists (Group Lists)	Ability to create group contact lists in their Contacts list	х	х	Х	
Multiple Address Books per mailbox	Ability to create multiple Address Books in a single mailbox	х	_	х	
Calendar	Many of the basic calendar features including	х	х	Х	
Calendar Support	Can create multiple calendars, import calendars and share calendars	х	х	х	
Create meetings	Ability to create meetings, all day events and appointments, mark them private and set free/busy	x	X	х	
Per-appointment time zone settings	Ability to set an explicit time zone for an appointment		х	х	
Multiple view options	Ability to view calendars by day, week, work, week, month or as schedule view		х	Х	
Subscribe to external calendars	Ability to subscribe to an external calendar in iCalendar (.ics) format		х	Х	
Import/export calendars	Ability to import or export in iCalendar (.ics) format	X	X	X	



Feature	Description	0	S	Р	
Recurrence and recurrence exceptions	Ability to create recurring meetings and exceptions to recurring meetings	Х	Х	Х	
Tasks					
Manage tasks	Add tasks and set the start and due date, set the priority and keep track of the progress and percentage complete	х	x	х	
Share task lists	Share task lists with internal and external users and set permission levels to manage or to view-only	х	x	Х	
Create task folders	Users can organize task lists into folders	х		Х	
Sort tasks	Users can sort tasks by Status or Due Date	X	X	Х	
Prioritize tasks	Users can set the priority of tasks to high, normal or low	Х	X	Х	
Search					
Create new search	Ability to enter a query and then save the search	Х	X	X	
Move a saved search	Ability to move a saved search to another folder	х	х	Х	
Tags	Ability to categorize messages and contacts by attaching "Tags" with user-defined names and colors	х	X	х	
Preferences enhancements	Keyboard navigation, themes, set time zone, mail filters	Х	х	х	
IMAP & POP Aggregation of Mail Accounts	Ability for users to aggregate external mail accounts using IMAP or POP	х		X	
Distance I December 1	Distance I December 1				NI
Briefcase and Documents	Briefcase and Documents features are supported	Х	Х	X	New
Role-Based Delegated Administration					New
Multiple admin levels	Administrators and administrator groups can be granted rights to manage		х	Х	New
Two predefined administration roles	Domain administrator and distribution list administrator		Х	х	New
Manage multiple domains	One delegated administrator can manage multiple domains		х	х	New
View Rights	View admin rights associated with a specific admin account		х	Х	New
Domain-Level Management					
Multi-domain administration	Ability to create and manage multiple mail domains within a single ZCS instance		х	х	
Per-domain GAL	Ability to use different Global Address Lists for each domain	Х		X	
Per-domain authentication	Ability to use different authentication stores for each domain	X	-	X	
Domain Administrators	Ability to delegated domain-level administrators to manage users and other settings specific to a domain		х	Х	
Domain-level branding	Ability to create domain-specific custom branding of the web interface		х	х	
Domain admins can set account quotas	Ability to enable a domain admin to update account quotas up to a maximum set value		х	x	
Per-domain quota management	Ability to set quota for each domain (either unlimited or a maximum value per account)	х	х	X	
Move domains	Ability to move a domain		х	X	
Archiving & Discovery (PS)	COS-based auto provisioning of archived accounts		х	Х	
Cross mailbox search	Ability to search across mailboxes from the administration console		х	Х	
Enhanced Global Address List	Ability to create an GAL-sync account to make searching the GAL faster for users	х	Х	Х	New
Search across domains	Ability to search for users across all domains		Х	Х	New
Download .csv files of account information	Account search results can be downloaded as a csv file		х	Х	New
Storage					
Single-copy message storage	Messages (including attachments) sent to multiple users are stored once to optimize storage space	х	Х	X	
Quotas	Ability to set quotas for mailbox size and number of Contacts	х		X	
Mailbox Quota view	View of mailboxes sortable by quota, total mailbox size, or % quota consumed	X		Х	
Message retention policies	Ability to define retention policies for all messages, trashed messages, and/or junk messages	X	X	X	
Online mailbox move	Ability to move a mailbox(as) from one server to another without requiring system downtime or affecting other mailboxes		x	X	



<u>Feature</u>		0	S	Р	
Hierarchical storage management	Ability to run a regularly scheduled process that moves older messages to a secondary storage				
	volume				
Create HSM policies	Ability to configure the HSM policies to move messages marked Junk, consolidate messages		X	X	New
	and blobs				
Disk full alerts	Create alerts when disk has reached close to full capacity	X	Х	X	New
System Health & Security					
Native anti-spam	The ZCS natively includes Spam Assassin and the DSPAM filter for spam protection (can be turned on/off)	х	x	X	
Configurable spam sensitivity	Administrator interface setting to specify spam quarantine and kill thresholds	X	X	Х	
Automated spam training	Messages that users mark as Junk / Not Junk are automatically fed into the spam training engine	X	X	X	
Native anti-virus	The ZCS natively includes Clam AntiVirus for virus protection (can be turned on/off)	Х	х	Х	
Configurable virus signature update frequency	Administrator interface setting to define the update frequency for virus signatures	х	х	х	
SMTP authentication	Ability to enforce client authentication to the SMTP server before relaying mail (with option to require authentication over TLS)	х	х	Х	
System dashboards	Graphical display of system activity including disk usage, message volume, and AS/AV results	Х	х	Х	
Service monitoring/status view	Ability to monitor the status of all core system servers/services in a single view	х	х	Х	
Attachment blocking	Ability to block attachments based on criteria such as attachment type or size	Х	х	х	
Clustering/High-Availability	Native integration with Red Hat Cluster Suite, enabling N+M active/passive clustering across ZCS		\mathbf{x}^{2}	x ²	
,	servers		,		
Attachment conversion to HTML	Ability to enforce that attachments be viewed as HTML, enabling risk-free attachment viewing without requiring attachment-native applications on the viewer's machine		x ¹	x ¹	
Install and Manage Certificates	Install and manage certificates from the administration console	Х	Х	Х	
Cluster Management Support using VCS	ZCS Cluster management support for Veritas Cluster Server by Symantec version 5.0		Х	Х	
., .	ž				
Zimbra Mobile Web Client					
Auto-complete addresses	Addresses auto-complete as they are being typed, including a dynamically updated selection dialog when multiple addresses match	х	х	х	
"View as HTML" option for attachments	Option to quickly view attachments in HTML format	х	v	х	
Conversations	Automatic grouping of messages in a message thread, enabling efficient message organization	x		x	
Conversations	Adomatic grouping of messages in a message throad, chasting emotion message organization	^	^	^	
Conversations span folders	Conversations are formed independently of folders, meaning that messages in different folders can be part of the same conversation	х	х	х	
Conversation rehash	If a message is contributed to a conversation, that conversation is marked as unread and moved to	х	х	х	
	the top of the Inbox				
Flags	Ability to flag/unflag messages/conversations for follow up	Х	Х	Х	
Drafts	Ability to save in -progress messages to a Drafts folder	Х	Х	Х	
Reply with attachments option	Option to Reply or Reply-All while retaining the attachments from the original message			Х	
Checkboxes to select mail	Users can check multiple emails in the list view to mark as read/unread/tag, delete or move to a different folder	х	х	х	
Contact card view	Business card view of Contacts	х	х	х	
Day, Week, Month view of calendar	Ability to view calendar in Day, Week, or Month view	х	х	Х	
Cross-context search	Ability to search for a specific item type (Mail, Contacts, etc) or across item types			х	
Search by keywords	Ability to search for items that contain specific keywords	х		Х	
Search by flagged/unflagged status	Ability to search for items that have a specific flagged/unflagged status	х		Х	
Search by folder	Ability to search for items that are in a specific folder	Х	Х	Х	
Search by size	Ability to search for items based on message size	х	х	Х	
Search by read/unread status	Ability to search for items based on read/unread status	Х	х	Х	
Search by recipients	Ability to search for items with specific recipients in the To/Cc fields	х	х	Х	



<u>Feature</u>	<u>Description</u>	0		<u>P</u>	
earch by sender	Ability to search for items from a specific sender	х	х	х	
Search by subject	Ability to search for items based on subject	х		Х	
Search by Tag	Ability to search for items that include a specific Tag(s)	х		х	
Quota information	Provides information about mailbox quota usage	х	_	Х	
add new contacts	Ability to add contacts to the Contact list	х	_	х	
Remote device wipe	Users can initiate a remote wipe from their Preferences tab	_	х	Х	New
GAL search	Ability to search the GAL from the mobile client		х		New
Sync Tasks	Tasks sync for Zimbra Mobile	-	х		New
Mobile security policies	Security and password rules can be enforced on compliant mobile devices that sync with ZCS accounts	-	Х		New
Jsers managed devices	Users can manage their mobile devices from the ZWC Preferences Mobile Device folder	\blacksquare	х	х	New
Appointments using iPhone	Ability to create appointments form iPhone (Safari) browser	_	х		New
Contacts using iPhone	Ability to create contacts from iPhone browser	_	х		New
Occuments and Briefcase	Documents and Briefcase feature no support in mobile	-	х		New
Calendars display	Choose calendar to display in mobile client	_	X		New
zaichaaro diopiay	Choose Carriagh to display in mobile orient	П	_	^	INCW
COMPATIBILITY & INTEROPERABILITY					
Zimbra Connector for Outlook (ZCO)					
MAPI-based connector	MAPI-based synchronization of mail, contacts, and calendar data between Outlook and the Zimbra		\dashv	Х	
IAPT-based connector	· · · · · · · · · · · · · · · · · · ·	1	.	Х	
MSI installer	server The ZCO is packaged as a Windows-standard .MSI installer, enabling standard Windows Installer	\vdash	\dashv		
151 IIIStallel	management and utilities	1	.	X	
automatic profile creation	An Outlook/Zimbra profile is automatically created as part of the ZCO installation process, with	\vdash	\dashv	х	
Automatic profile creation	optionally pre-configured server/port	1	.	X	
Offline access	ZCO users utilize a local, synchronized Outlook data store, enabling full offline Outlook use	\vdash	\vdash	х	
uto-detect connection status	Online/offline status is automatically detected, enabling the user to work without having to specify	\vdash	\dashv	X	
dio-detect connection status	their connection status	i l	.	X	
Cached mode operation	Synchronization operations are cached and synchronized as an asynchronous process, enabling	r t	\neg	х	
action mode operation	optimal Outlook performance	1	.	^	
ags/Categories sync	Tags are automatically and bidirectionally synced between Outlook and the Zimbra server (Zimbra	r t	一十	х	
ago, catogonios cynic	tags = Outlook categories)	1	.	^	
Blobal Address List sync	Global Address Lists are automatically synced between Outlook and the Zimbra server	ΠŤ	一	Х	
ree/Busy access	Ability for an Outlook user to view other users' Free/Busy information	\Box	\vdash	Х	
ocal archiving	Outlook users can create one or more local archive stores to manage server-side quota restrictions	i		X	
		Ш			
Secure connectivity over HTTPS	Option for secure connectivity over HTTPS, encrypting all traffic between the Outlook user's	1	.	X	
	machine and the Zimbra server	ш	Ш		
Sync progress window	Each synchronization process displays a progress window indicating the progress of the sync and	ı [,	X	
	the amount of data transferred	Щ	$oldsymbol{\perp}$		
Shared/Delegated access	Ability to share or delegate mail, contacts, or calendar folders with Outlook by selecting the	ı [,	X	
	appropriate privileges	igspace	igspace		
asks are synced	Tasks created in Outlook are synced to the Zimbra server	Щ	$oldsymbol{\perp}$	X	
	Contacts and attachments can be synced	Ш		X	
,				х	New
aster syncing with headers only	Users can configure to download only the message header information			X	
Sync of contacts and attachments Faster syncing with headers only Personas Notification of shared items	Personas are synced to Outlook accounts Automatically recognize and add shares to Outlook			X	New



<u>Feature</u>	Description	0	S	Р	
Zimbra Connector for Apple iSync					
Cal calendar sync	Enable two-way synchronization between the Zimbra server and iCal calendar			Х	
Contacts sync	Enable two-way synchronization between the Zimbra server and Address Book			х	
Integration with Microsoft Entourage	Integration of Entourage calendar and contacts with Zimbra server			х	
Automatic synchronization	When enabled, changes made locally to Address Book, iCal data or to Entourage calendar and			Х	
	contacts are immediately sent to the Zimbra server Note: Calendar syncing with Entourage is only				
	supported for OS X 10.4				
Schedule synchronization	Ability to select when iCal and Address Book should synchronize with the Zimbra server			Х	
CalDAV standard support (Beta)	CalDAV models calendar events as HTTP resources in iCal format.	Х	X	х	
Additional Compatibility					
Exchange Migration Wizard	Graphical tool that facilitates migration of accounts and mail/calendar/contacts/categories data from	х	X	X	
	Exchange to the ZCS server				
mport Wizard for Outlook	Graphical tool that facilitates migration of an Outlook PST to the ZCS server	х	X	Х	
MAP	Ability to access the ZCS server via IMAP clients, with the option to connect over SSL/TLS	х	X	Х	
POP	Ability to access the ZCS server via POP clients, with the option to connect via SSL/TLS	х	x	х	
SOAP/REST APIs	Comprehensive suite of standards-based web services APIs enabling seamless integration with	х	х	Х	
	other applications				
Active Directory integration	Ability to utilize Active Directory for user authentication and/or Global Address List	х	X	x	
External LDAP directory integration	Ability to utilize an external LDAP directory for user authentication and/or Global Address List	х	X	Х	
nitial user password	Admin can configure an initial password in the migration wizard and import wizard for newly	х	X	Х	
	provisioned accounts				
_otus Domino Migration Wizard	Graphic tool that facilitates migration of accounts and mail/calendar/contacts data from Lotus	Х	Х	Х	
	Domino to the ZCS server				
J2ME Support	J2ME mobile client support (Beta)	х	x	x	
Zimbra Mobile Web Client	XHTML mobile client optimized for iPhones and other PDA-like devices	х	X	Х	
Zimbra Desktop	Users can access to the contents of their mailboxes when they are off line. Changes are synced	х	Х	Х	
	when they log on				
Blackberry Enterprise Server interop (PS)	Users can access ZCS using BlackBerry mobile devices as ZCB is a plug-in that enables		X	Х	
	synchronization				

Notes:

- 1. Items marked with x¹ are not available in the Mac OS X version of the Zimbra Collaboration Suite
- 2. Items marked with x^2 are not available in the Mac OS X or SUSE versions of the Zimbra Collaboration Suite